



Better Equipment, Better Outcomes,
Better Living

Primary Care | Acute Care | Nursing Homes | Personal Care



0818 989 353



info@beechfieldhealthcare.ie



www.beechfieldhealthcare.ie



Approved Supplier

G-Logic Basic

PRODUCT CODE: GLOGICBASIC18TIP



KEY FEATURES & SPECIFICATIONS

- Seat width options: 40cm (16") and 45cm (18")
- Folding frame
- Features rear brakes, anti tip wheels, stepper and lap belt as standard
- Half folding backrest
- Swing-away and detachable footrests with heel straps
- Available in Transit only model with a 12" rear wheel
- Total length 112 cm (incl. footrests)
- Seat height: 52cm
- Back height: 42cm
- Total height: 96cm
- Wheelchair weight: 10.5KG
- Max user weight: 113KG (17.8 stone)
- Crash tested
- Available without anti-tip wheels for €139.50

The new Excel G-Logic 'Basic' wheelchair is a lightweight wheelchair equipped with lockable brakes on the rear wheels as standard, this enables an attendant to easily lock the wheelchair in position should user need to remain stationary for a period of time. The armrests of the wheelchair are three quarter length to enable easy access to desks and tables. Designed for easy transportation, the wheelchair is foldable so the total width is limited to an average width of 30-35cm.

In addition, the foot plates are adjustable in height with an Allen Key provided and the wheelchair is equipped with 7" front wheels and 12" rear wheels. The 12" rear wheels make the wheelchair easy to transport and come fitted with a stepper and anti-tip wheels for added safety.



Excel G3

PRODUCT CODE: G3EXCEL18SP-TR



KEY FEATURES & SPECIFICATIONS

- Seat width options: 40cm (16"), 45cm (18") and 50cm (20")
- Also available in 55cm (22") & 60cm (24") please call for best price
- Available in Transit (12" wheels) or Self Propelled (24" wheels)
- Available in 3 seat to floor heights: 47.5cm, 50cm and 50.5cm
- Folding frame with half folding backrest fitted as standard
- Depth adjustable with flip back and removable armrests
- Features rear stepper, lap belt, anti tip wheels and 2" cushion as standard
- Tension adjustable backrest
- Swing away and removable leg rests with height and angle adjustable foot plates fitted with heel straps
- Triple dipped coating with virgin plastics and rippled back upholstery
- Tool free seat adjustment with height adjustable arm rest
- Suitable for amputee use
- Chair width: seat width + 17 cm
- Seat depth: 46 cm (18 inch)
- Backrest height: 42cm (16.5"), 45cm (18") and 47cm (18.5")
- Wheelchair weight: 13.9 kg
- Max user weight: 130KG - 150KG (20.4st. - 23.6st.)
- Crash tested

The Excel G3 Wheelchair is a lightweight wheelchair with an aluminium frame and is available in both Self-Propelled and Transit models. Both models feature a rear stepper, lap belt, anti tip wheels, 2" cushion, swing away removable footrests with height and angle adjustable foot plates fitted with heel straps as standard. The wheels on the self-propelled version are secured on quick release axles to facilitate easy dismantling for storage and transportation.



Better Equipment, Better Outcomes,

Better Living

G-Logic

PRODUCT CODE: GLOGIC18SPTIP

Manual Adult Wheelchairs | SUB LOT: 1.03 | Rank #1



The Excel G-Logic is a very agile lightweight wheelchair that suits the more active user with its sporty looks and 4 degree seat angle which provides comfort and an ergonomic posture.

Weighing just 11.5 KG this lightweight wheelchair is very nimble thanks to its new rear wheel which is based on the cycling industry. The sleek aluminium hub, lightweight rim and push rim give this wheelchair a more sporty feel and appearance.

The G-Logic is the latest incarnation of the successful and popular G-Lite Pro series, so the chassis is tried and trusted.


When it comes to transportation there is a smooth quick release mechanism that folds the wheelchair in one easy motion.

This wheelchair has also been crash tested to enable the user to stay seated when in an adapted vehicle. Once folded it's narrow enough to fit in public transport storage areas or the car boot.

Available in Self Propelled or Transit for the same price.

KEY FEATURES & SPECIFICATIONS

- Seat width options: 40cm (16"), 45cm (18") and 50cm (20")
- Available in Transit (12" wheels) or Self Propelled (24" wheels)
- Folding frame
- Padded seat
- Features push to lock and attendant brakes
- Swing-away and detachable footrests with heel straps
- Stepper, lap belt and anti tip wheels as standard
- Quick release wheels with puncture proof tyres
- Height-adjustable armrests, suitable for sitting at a table
- Half folding backrest
- Lightweight weighing only 11.5KG
- Max user weight: 113KG (17.8 stone)
- Seat height: 54cm (21 inches)
- Seat depth: 42cm (16.5 inches)
- Crash tested
- Available without anti-tip wheels for €178.75



www.beechfieldhealthcare.ie



Approved Supplier

Excel G-MOD

PRODUCT CODE: GMOD18SP-TR



KEY FEATURES & SPECIFICATIONS

- Fully adjustable and modular giving the user numerous positioning options
- Stain-resistant nylon cushion, anti tippers and lap belt as standard
- Robust cross bar
- Tension bar which can be locked by a colour coded button to reduce flexing in the backrest
- The adjustable features are colour coded for ease of adjustment
- Several accessories can be used with this chair: one arm drive, elevating leg rests, gutter arm rests, stump support and head rest
- Total length 101cm / total width 63cm / total height 93 – 101cm
- Seat width: 40cm (16"), 45cm (18"), 50cm (20")
- Also available in 55cm (22") please call for best price
- Seat depth 40, 42.5, 45, 47.5, 50 and 52.5cm
- Seat height 48, 50.5, 53, 55.5 and 58cm (inclusive of cushion)
- Backrest height 39, 41.5 and 44cm
- Max user weight: 135kg
- Available in Self Propelled or Transit models
- Suitable for amputee use
- Crash tested

The Excel G-Modular wheelchair comes with a tension adjustable backrest as standard allowing the user to achieve maximum comfort in their wheelchair. The armrests are both height & depth adjustable and can be completely removed to aid safe transfers. Available in Self Propelled or Transit models. The seat height is completely adjustable, the footrests are height adjustable and the foot plates are angle & width adjustable. This wheelchair is all about comfort and convenience - simply pull the seat upwards with one easy move to fold.

The New Excel G-Nexx

PRODUCT CODE: GNEXXSP-TR

Manual Adult Wheelchairs | SUB LOT: 1.09 | Rank #1



KEY FEATURES

- Fixed frame with tilt-in-space & adjustable backrest angle
- Wheelbase adjustable with a range of 12 cm (42½ - 54½ cm)
- Anti-tip wheels
- Equipped with seat and back cushions
- Headrest is height, depth and angle adjustable
- Elevating leg rests are angle adjustable including depth adjustable calf supports
- Push bar is height adjustable with a 10 cm range
- 12½" rear wheels on the transit model or 24" rear wheels on the self-propelled. Both feature PU tyres
- Tilt-in-space, stepless adjustable with 0-35 degree range
- 8" front wheels equipped with PU tyres
- Height adjustable armrests with depth adjustable soft arm pads, equipped with soft padded side cushions
- Foot plates are swing-away, height, depth and angle adjustable and equipped with adjustable heel strap
- Optional backrest recline by gas strut
- Armrest is height adjustable, swing away & depth adjustable
- Total height: 103cm
- Total width: 67 - 85cm (adjustable)
- Total length: 119cm
- Seat width: 40 - 54cm | depth: 46.5 - 62.5cm | height: 40 - 56cm
- Back rest height: 60cm
- Total weight: 39kg | Max user weight: Max. 160kg
- Crash tested

The Excel G-Nexx, Tilt In Space, is a single frame wheelchair that fits 4 different seat widths. Available in both transport and self-propelled models, the G-Nexx can be adjusted to suit the different users size & needs.

The new range of Excel G-Nexx are easily adjustable prescriptive chairs that give the impression of being truly bespoke chairs. The G-Nexx wheelchair offers convenience and comfort wrapped up in a stylish, modern design. Available in seat widths of 40cm (15.5"), 45cm (17.7"), 50cm (19.6") or 54cm (21.2").

Enigma Energi Lightweight Powerchair

PRODUCT CODE: PCA18BLACK

Adult Powered Wheelchair | SUB LOT: 1.02 | Rank #1



KEY FEATURES & SPECIFICATIONS

- Maximum speed of 4mph with a maximum range of 15 miles on a full battery charge
- Available in 41cm (16"), 46cm (18"), 51cm (20") and 56cm (22") seat widths
- Designed for indoor use and limited outdoor use such as shopping centres
- Rear wheel drive system for optimum manoeuvrability
- Detachable height and width adjustable armrests with removable PU arm pads to suit comfort of user
- Double cross brace for responsive manoeuvrability and added support
- Half folding and removable backrest for easy storage and transportation
- Tension and height adjustable backrest and length adjustment on armrests allow chair to be easily adapted to suit comfort preferences
- De-clutch operation to enable you to safely freewheel the chair where and when required
- 20cm (8") front castors and 32cm (12.5") rear wheels with pneumatic tyres provide durability and low maintenance
- Comfortable seat cushion included as standard
- Swing in / swing out detachable footrests for maximum comfort and convenience when transferring
- PG Drives VR2 controller provides an easy and enjoyable driving experience
- Powerful 320W motors with detachable batteries and basket for easy storage and built in storage bag for battery charger
- On board charging (2 x 34Ah batteries)
- Rear anti tip wheels as standard
- Various optional extras are available such as attendant controls, dual controls, kerb climbers and elevating footrests
- Maximum weight capacity 135 – 180kg (21-28st)
- This powerchair has been crash tested providing added safety when being transported in a vehicle

The Enigma Energi Lightweight Powerchair has many luxury features normally found on the most expensive of chairs. The Enigma Energi electric wheelchair has a wide range of additional features available, from a kerb climber functionality to dual or attendant controls. The seat height is adjustable and the Enigma Energi is also available in a range of seat widths.

The controls are very responsive and highly manoeuvrable, with a small turning circle that makes navigating crowded spaces easy. It's also well padded and very comfortable for the user. The top speed is about 4mph under a full charge it has a range of up to 15 miles - the Enigma Energi wheelchair lets you go much further than other powered chairs.



Airide Powered Wheelchair

PRODUCT CODE: 850



KEY FEATURES & SPECIFICATIONS

- Swing away VR2 power module with drive-only joystick
- Maximum speed of up to 4mph and a range of up to 20 miles
- Adjustable air suspension
- Cast aluminium split rims
- Max user weight: 160 kg
- Soft padded tension adjustable backrest with straps
- Dimensions: 114cm x 65cm (LxW)
- Seat Width: 40-55cm (specified at point of order)
- Seat Depth: 40-52.5cm (specified at point of order)
- Seat Height: 43cm
- Backrest Height: 50cm
- Total Weight: 119kg
- Crash tested

The Airide offers excellent features as standard, ranging from the rigid frame to the high capacity 80 Ah batteries fitted as standard. Getting its name from one of its best features, the chair is supplied with air suspension as standard that can be set to your own specific requirements.

Constructed using a rigid yet lightweight extruded aluminium frame, the Airide is in a class of its own. The standard chair can be configured as either front or rear wheel drive, making it truly versatile.

Click and Go Lite

PRODUCT CODE: CLICKANDGOLITE



KEY FEATURES

- Easy to mount under a wheelchair - fits every VanOs wheelchair
- Dimensions: 36 cm x 25cm x 29½ cm (length x width x height)
- Total Weight: 13 kg
- Max User Weight: 135 kg (including wheelchair)
- Maximum speed: 5.5 km/h
- Range of up to 8km
- Suitable for seat width: 40 ↔ 50 cm

Powerstroll S Drive Heavy Duty

PRODUCT CODE: PWCPP009HD




KEY FEATURES

- Top speed of up to 4mph
- Range of up to 10 miles (16 km)
- The Powerstroll can easily be fitted or removed within seconds
- New push and slide battery removal system
- Fits most standard wheelchairs up to 20" seat width
- Comes complete with a carry holdall with shoulder strap
- Maintenance free airline friendly 24V sealed battery pack
- Max user weight: 180kg (28st) including wheelchair

Tiempo Mobility Scooter

PRODUCT CODE: TIEMPO

Scooters | SUB LOT: 3.01 | Rank #1



KEY FEATURES & SPECIFICATIONS

- Reliable, comfortable and lightweight scooter
- Removable upholstery on the chair
- Width-adjustable, foldable and removable armrests
- A luxury delta control with a synoptic dashboard
- Operating through a wigwag system
- Basket at the front
- Freewheel lever to put the scooter in drive and push mode
- Easily removable battery pack, which is separate from the scooter and can be charged independently
- Angle adjustable steering column
- Leak-proof PU tires
- Dismantles into 5 easy to carry sections
- Max speed: 4mph
- Max user weight: 113kg
- Max range: Up to 16km

The Tiempo is an extremely comfortable and lightweight 4 mph travel scooter. Robust and highly manoeuvrable, this scooter is great for both indoor use as well as light outdoor use. With its all new and striking modern design, the Tiempo is the ideal solution for very active users.

The design of the scooter makes it very simple to break down into 5 pieces with a handle on each part to help with lifting. Not only does the Tiempo have a new and improved Delta steering wheel for added comfort, the wrap around style minimises strain on the wrists which allows for both left and right handed operation. The front lights have also been upgraded to LED lighting for better visibility and energy efficient longer lasting bulbs. These lights have also been proven to help reduce the risk of accidents.

Ground clearance	8 cm
Overall length	102 cm
Overall width	51 cm
Seat depth	40 cm
Seat height	50-55cm
Seat width	41 cm
Turning radius	115 cm
Weight with batteries	50 kg

**Top Speed:** 4 mph**Range:** Up to 16km**User Weight:** Up to 113 kg**Max Incline:** 6 degrees**Terrain:** Indoor, Flat Outdoor

Galaxy II Mobility Scooter

PRODUCT CODE: GALAXY



KEY FEATURES & SPECIFICATIONS

- Road legal scooter with front light, brake light and indicators & whisper-quiet motor
- Adjustable backrest that can be adjusted to individual requirements
- Depth-adjustable seat slide & height adjustable and foldable armrests
- Telescopic shock absorbers and adjustable suspension
- Height adjustable, 360 degree rotating seat with headrest
- Angle adjustable steering column
- Batteries: 2 x 12 V / 73 Ah

Ground clearance	13cm
Overall length	146 cm
Overall width	65 cm
Seat depth	52 cm
Seat height	48-58 cm
Seat width	48.5 cm
Turning radius	329 cm
Weight with batteries	127 kg



Top Speed: 15 km/h



Range: Up to 50km



User Weight: Up to 175kg



Max Incline: 8 degrees



Terrain: Outdoor, Road Legal

The Vanos Galaxy II is a super smooth 8mph mobility scooter ideal for use on a huge range of terrains from pavements to bumpy paths, gravel and grass. With telescopic shock absorbers in the front fork and adjustable suspension on the rear wheels along with a Captains seat and head rest, the scooter is renowned for its comfort and super smooth driving. The seat can be rotated 360 degrees, the back of the seat can be folded down flat, is angle adjustable, removable and adjustable in height. In addition, the Galaxy S II features brake lights, an anti-theft key, an angle adjustable steering wheel, front and rear bumpers, impact resistant covers and height adjustable and foldable armrests.

Stump Support



VanOs Medical stump support. Available in left or right configuration.

Left Code: 60086520

Right Code: 60086530

Hemiplegic System

VanOs Medical Hemiplegic System

Code: 42139000



Elevating Leg Rest



VanOs Medical Elevating Leg Rest. Available in left or right configuration.

Left Code: 60086020

Right Code: 60086030

Universal Headrest

Drive Universal Wheelchair Headrest/Cushion. Suitable for most wheelchairs

Code: UNIHEADREST



Memaflex Cushion



Memaflex pressure redistribution memory foam cushion designed for at risk patients. Features a multi stretch PU cover that is waterproof and vapour permeable. Features high frequency welded seams and a fully concealed zip and the cover can be completely removed and laundered. The white inner substrate makes staining easy to identify.

16"x16" : Code CUSH/MF/41/41/7.5

17"x17" : Code CUSH/MF/43/43/7.5

18"x18" : Code CUSH/MF/46/46/7.5

20"x18" : Code CUSH/MF/51/46/7.5

KEY FEATURES

- **#1 ON HSE CONTRACT 9232**
- High frequency welded seams and a fully concealed zip reduces the possibility of fluid ingress and aids infection control
- Multi stretch PU cover is waterproof, vapour permeable and impregnated with Acti-fresh biocide to help prevent the build up of bacteria and ensure it can be easily cleaned to aid disinfection protocols
- White inner substrate (underside of the cover) helps auditing procedures by making staining easy to identify
- Cover can be completely removed and laundered up to 80°C to aid decontamination protocols
- Temperature sensitive viscoelastic foam moulds to the shape of the body providing greater weight distribution & pressure reduction
- Slip resistant base
- Height of cushion: 7.6cm
- Sizes available: 16"x16" | 17"x17" | 18"x18" | 20"x18"
- Max user weight: 167kg
- 2 year warranty

Air Layer Cushion



When seated the risk of skin breakdown on the buttocks is reduced if the patient's microclimate is controlled and pressure is distributed. The Air-Layer cushion features a block of viscoelastic foam that conforms to the buttocks, redistributing pressure and an 'Air-Layer' to reduce heat transfer. The cover is waterproof, multi-stretch and vapour permeable with welded seams to reduce the risk of fluid ingress.

16"x16" : Code CUSH/AL/41/41/7.5

17"x17" : Code CUSH/AL/43/43/7.5

18"x18" : Code CUSH/AL/46/46/7.5

20"x18" : Code CUSH/AL/51/46/7.5

KEY FEATURES

- **#2 ON HSE CONTRACT 9232**
- Microclimate management which reduces heat transfer rates by over 50% and vapour transfer rates by over 25%, thus improving the micro-climate between the patient and the support surface
- Anti-microbial coating with Viscoelastic foam
- Welded seams
- Multi-stretch cover
- Water resistant cover
- Waterproof concealed zip
- Zip cover and welded seams
- High specification foam
- Vapour permeable cover
- Slip resistant base
- Height of cushion: 7.6cm
- Sizes available: 16"x16" | 17"x17" | 18"x18" | 20"x18"
- Max user weight: 167kg
- 2 year warranty



Serenade Cushion



A pressure reduction surface is required when seated to reduce the risk of pressure ulcers on the buttocks. Gel cushions provide optimum support for patients when in the seated position. The Serenade Gel cushion contains silicone gel which reduces pressure and provides comfort. A support strap is incorporated under the cushion to ensure it stays in situ. The Serenade Gel cushion features welded, waterproof, multi-stretch and vapour permeable cover.

KEY FEATURES

- **#1 ON HSE CONTRACT 9232**
- High risk cushion
- Silicone gel encased in viscoelastic foam
- Anti-microbial coating
- Welded seams
- Multi-stretch cover
- Support strap
- Open cell foam and vapour permeable cover
- Water resistant cover
- Slip resistant base
- Height of cushion: 8cm
- Sizes available: 16"x16" | 17"x17" | 18"x18" | 20"x18"
- Max user weight: 160kg
- 2 year warranty

16"x16" : Code CUSH/SG/41//41/7.5

17"x17" : Code CUSH/SG/43/43/7.5

18"x18" : Code CUSH/SG/46/46/7.5

20"x18" : Code CUSH/SG/51/46/7.5


Modular Hemi Wheelchair

PRODUCT CODE: GMODH18SP



KEY FEATURES

- The Hemi allows a single leg amputee or a patient with single leg paralysis to be able to propel the chair using their working limb
- Upgradeable with silver seating
- Lightweight frame
- Tension adjustable backrest
- Quick release rear wheels
- Rear anti-tip wheels
- Height adjustable push handles
- Depth adjustable armrests
- Footrest length & angle adjustable
- Adjustable angle front forks
- Folding and removable armrests
- Angle setting on the headsets
- Standard seat cushion
- Total weight: 14.9 kg
- Max user weight:
 - 130kg for 35, 37½, 40, 42½, 45 and 47½ cm seats
 - 150 kg for 50cm seat width
- Seat width: 35, 37½, 40, 42½, 45 and 50 cm
- Seat depth: 40, 42½, 45, 47½ and 50
- Seat height: 37½, 40 and 42½ cm
- Back height: 42½, 45 and 47½ cm (adjustable)



Excel 'Modular' Hemi is a member of the Excel 'Modular' family and therefore it includes a large number of components that are interchangeable within both the 'Modular' family as the first generation G4 and G5. Besides the standard features that are available with the Excel Modular, the Hemi allows a single leg amputee or single leg paralysis to be able to propel the chair using their working limb.

Excel Elise Buggy

PRODUCT CODE: ELISE



KEY FEATURES & SPECIFICATIONS

- One of the most popular and cost-effective strollers on the market
- Easy folding frame
- In-built lateral support padding
- Very lightweight - made from durable aluminium
- Variety of accessories available
- Five point harness, shoulder height adjustable (four levels)
- Dual rear wheel parking brakes
- Low maintenance - wipe clean fabrics with puncture proof wheels

The Excel Elise Travel Buggy is designed specifically for the older or larger child who is unable to walk, or if they can walk, need a little help. The Excel Elise covers an age range from 2 years to 8 years, although suitability is more dependent on size rather than age. It has an adjustable footplate which can be positioned at three levels to suit the child's leg length so the pushchair can grow with the child.

The Excel Elise has relatively small 7" wheels which are best suited to smooth urban surfaces, it is not recommended for use on rougher surfaces such as a cobbled street or park. The relatively small 'footprint' of the Excel Elise makes it much more suitable for use around town, inside shops or schools.

Robustly made with an aluminium frame, the Excel Elise is sturdy but still reasonably lightweight. It is tested for a child up to 50kg (7.5 stone) although most children will have grown out of the buggy by the time they would reach this weight. Whilst the Excel Elise may be used for someone with special needs the seat may be unsuitable if they require postural management support - if in doubt please seek professional advice.

Available accessories:



Lateral Supports



Vest Harness



Ankle Supports



Foot Restraint Straps



Foot Muff



Rain Cover



Padded Back

Overall length	96 cm
Overall width	55 cm
Overall height	112 cm
Seat width	30 - 39 cm
Seat height front	60 cm
Seat height back	47 cm
Seat depth	26 - 27 cm
Back height	53 cm
Weight	7.1 kg
Max user weight	50 kg



Sun Hood




STRAIGHT STAIRLIFTS

If your staircase is straight and does not have any corners, we offer a fantastic range of straight stairlifts to suit your needs.

HANDICARE 1100

The Handicare 1100 is the slimmest stairlift on the market. The super slim line rail is the narrowest on the market so it obscures less of your stairs than any other straight stairlift system. The Handicare 1100 also features continuous charge functionality, so you can park the seat anywhere you like on the rail and it will stay charged.



HANDICARE 1000

The Handicare 1000 features a range of customisable options including a choice of seat colour and optional powered swivel and footplate.

It is also available in XL and XXL sizes which cater for weights up to 200kg. The 1000 can also be configured with a powered hinge to prevent the track obscuring a doorway.



CURVED STAIRLIFTS

Curved stairlifts have tracks that are specifically designed to suit staircases that turn corners. Customisable options include a choice of seat style, rail colour, upholstery colour and powered options.

HANDICARE 2000

Ideal for short stairs of 5m or less. The compact twin rail curved system is designed for a stable and smooth ride.

Available in 2 seat options; the Simplicity and the Style.



VAN GOGH

This stylish single rail curved stairlift fits on the external side of the staircase and comes with 7m of track and includes two 90° bends as standard. The Van Gogh is ideal for staircases with multiple turns.



REMBRANDT

Similar to the Van Gogh this stylish single rail curved stairlift fits on the internal side of the staircase. It comes with 5m of tracks and includes two 90° bends as standard.



Free Stairlift Assessment Course

We are offering a free CPD course to assist Occupational Therapists when accessing for a stairlift. Please contact your local sales representative to find out more.

Dublin Office

Beechfield Healthcare
Unit 27-28 Butterly
Business Park, Kilmore Rd.,
Artane, Dublin 5,
D05 F788
Tel: 01 539 0004

Laois Office

Beechfield Healthcare
Clonminam Business Park
Portlaoise,
Co Laois,
R32 PN8W
Tel: 057 868 2304